GEHEIM amtlich geheimgehalten

Server Build Information	CCAIRRAMSTEIN SERVER
Software Version	ICC 2.7.3/2.7.4
Operating System	Solaris 10
NISP version	3,4
Server Model	SUN Fire V440
Host Name	ccairramstein
Oracle TWO TASK	ramstein icc
Domain Name	airn.icc.nato.int
LDAP Domain Name	airn.icc.nato.int
Local Agency	AIRNORTH
IP Range	.127254
IP Address	10.90.
Netmask	255.255.255.
Broadcast Adr.	10.90.
Router IP	10.90.
Host ID	844c97
Ethernet address	0:14:4f:4c
Usernames	Passwords
root	4flCCws
EEPROM pw	Vegas
accounts by username	1234icc
roles	
admin	icc_admin
V	. 7
icc	icc4273
oracle	orac4273
oracle 9i sys	manager9
oracle 9i TNS	manager9
Cosi license 5 Jan 2010	12 63 7e 04 03 fc 17 02 93 15 92 13 82 e1 fd d4 0d 36 b0 # s 844c974d 31.08.2011 30.11.2011 # iccsvr1
JCHAT administrator:	10.90.
admin	jchat_admin
Tomcat manager	tomcat
ICC Link / user	icclink
ICC link / pw	icc_link

nsintôice011	
Server Build Information	Details
Server Model	X4170 sv11003
Operating System	NISP 3.5
Host ID	1a1ed2
Ethernet address	0:21:28:3d:c4

Bei der NATO : **offen** Bei der deutschen Justiz:

GEHEIM – amtlich geheimgehalten

GEHEIM amtlich geheimgehalten

NISP BUILD	
Host Name	nsint6icc011
IP Address	10.96.
Netmask	255.255.255.
Router IP-Gateway	10.96.
WAN	Option: Case 3
Domain Name	ais.nato.int
DNS	10.96. /10.96.
ICC	
Oracle 10g TWO_TASK	RAMSTEIN011 ICC10
Local Agency	RAMSTEIN011
Usernames	Passwords
root	4flCCws
EEPROM	
LDAP proxy	ldap011
Admn	admin011
ICC	icc011
Tomcat	tomcat011
oracle	oracle011
oracle 10g sys	manager011
oracle 10g TNS	manager011
oracle C2Admin User	manager011
COSI	
Usernames ,	123icc
SOFTWARE	Version
ICC	2.8.2
FAST	NONE
JTS	NONE
nICCLink	1.1.0
Tomcat	5.5.17
JCHAT	NONE
JAVA	1.6.0 6
Scripts	
NIC configuration:	1GB Full Duplex

CCAIRRAMSTEIN-two (ICC Server 1)	
Server Build Information	CCAIRRAMSTEIN_TWO
Software Version	su
Operating System	Solaris 10
Server Model	SUN Fire V440
Host Name	ccairramstein-two
Oracle TWO TASK	ccair_icc
Domain Name	airn.icc.nato.int
LDAP Domain Name	airn.icc.nato.int
Local Agency	AIRNORTH
IP Address	10.90. Dei des l

Bei der NATO : **offen** Bei der deutschen Justiz:

GEHEIM – amtlich geheimgehalten

GEHEIM amtlich geheimgehalten

Netmask	255.255.255.
Router IP	10.90.
Host ID	844ca4
Ethernet address	0:14:4f:4c:a4
Usernames	Passwords
root	icc_root
eeprom	Vegas
LDAP proxy password	supershell
accounts by username	123icc
roles	
admin	admin4273
icc	icc4273
oracle	orac4273
oracle 9i sys	manager9
oracle 9i TNS	manager9
demo db	icc demo

Cosi license 5 Jan 2010 12 63 7e 04 04 26 99 3d 93 15 92 13 82 e1 fd 71 dd 4e d0 # sf 844ca445 31.08.2011 30.11.2011 # iccsvrbckup

nsint6icc011	
Server Build Information	Details
Server Model	X4170
Operating System	NISP 3.5
Host ID	0c5882
Ethernet address	0:21:28:3d:fc
NISP BUILD	
Host Name	nsint6icc010
IP Address	10.96.
Netmask	255.255.255.
Router IP-Gateway	10.96.
WAN	Option: Case 3
Domain Name	ais.nato.int
DNS	10.96. /10.96.
ICC	
Oracle 10g TWO_TASK	RAMSTEIN010_ICC10
Local Agency	RAMSTEIN010
Usernames	Passwords
root	4flCCws
EEPROM	× 1
LDAP proxy	ldap010
Admn	admin010
ICC	. icc010
Tomcat	tomcat
oracle	oracle010
oracle 10g sys	manager010
oracle 10g TNS	manager010
COSI	4
Usernames	123icc Dai da

SOFTWARE

Bei der NATO: offen

Bei der deutschen Justiz:

GEHEIM –

amtlich geheimgehalt

GEHEIM amtlich geheimgehalten

Version

GEHEIM amtlich geheimgehalten

ICC	2.7.4
FAST	None
JTS	None
nICCLink	1.0.0
Tomcat	5.5.17
JCHAT	None
JAVA	1.6.0 06
Scripts	1:0:0_00
NIC configuration:	1GB Full Duplex
Nic computation.	1GB Full Duplex
	CCserver
Server Build Information	Details
ICC Software	ICC 2.8.
Operating System	Solaris10
Server Model	SUN FIRE 440
Host Name	282ICCserver
LDAP / Domain Name	airn.icc.nato.int
Local Agency	RAMSTEIN
Oracle 9i TWO_TASK	RAMSTEIN_ICC10
IP Address	10.90.
Netmask	255.255.255.
Router IP	10.90.
Host ID	847cb0
Ethernet address	0:14:4f:7c:b0
#12 2d a4 bb d0 27 77 30 6e ef 5d	05 af 83 6a 13 ef 58 10 # sf 847cb090
Usernames	Passwords
root	4flCCws
EEPROM	Vegas
LDAP proxy password	4 f I C C w/s
roles	
admin	282_admin
icc	282_icc
oracle	282_oracle
oracle 10 sys	manager10
oracle 10 TNS	manager10
new account	
	default password = 123icc
tomcat_admin	default password = 123icc tomcat
tomcat_admin icclink_admin	tomcat link
tomcat_admin	tomcat
tomcat_admin icclink_admin Oracle C2Admin keystore password	tomcat link
tomcat_admin icclink_admin Oracle C2Admin keystore password fastadmin	tomcat link manager10 tomcat nc3a_fast
tomcat_admin icclink_admin Oracle C2Admin keystore password fastadmin FAST Components	tomcat link manager10 tomcat nc3a_fast password for All participants
tomcat_admin icclink_admin Oracle C2Admin keystore password fastadmin FAST Components ACC	tomcat link manager10 tomcat nc3a_fast password for All participants fast_user
tomcat_admin icclink_admin Oracle C2Admin keystore password fastadmin FAST Components	tomcat link manager10 tomcat nc3a_fast password for All participants
tomcat_admin icclink_admin Oracle C2Admin keystore password fastadmin FAST Components ACC	tomcat link manager10 tomcat nc3a_fast password for All participants fast_user Password obs_user
tomcat_admin icclink_admin Oracle C2Admin keystore password fastadmin FAST Components ACC	tomcat link manager10 tomcat nc3a_fast password for All participants fast_user Password obs_user NCRN
tomcat_admin icclink_admin Oracle C2Admin keystore password fastadmin FAST Components ACC Observer accounts	tomcat link manager10 tomcat nc3a_fast password for All participants fast_user Password obs_user
tomcat_admin icclink_admin Oracle C2Admin keystore password fastadmin FAST Components ACC Observer accounts Org. Unit	tomcat link manager10 tomcat nc3a_fast password for All participants fast_user Password obs_user NCRN

Bei der NATO: offen

Bei der deutschen Justiz:

GEHEIM –

amtlich geheimgehalten

GEHEIM amtlich geheimgehalten

51

GEHEIM amtlich geheimgehalten

Code	DE
ICC Client License	ICC-2.8.2.0#237703#2967173
icc_demo282	demo
encrypted pw	THIHLDUO

Bei der NATO: offen

Bei der deutschen Justiz:

GEHEIM -

amtlich geheimgehalten

GEHEIM amtlich geheimgehalten

NSEXT5MCCIS080

NIC configuration:

Server Build Information	UPDATE 26.01.12 Ron
Server Model	HP 9000 RP 3410
Operating System	HP-UNIX 11.0
Host ID	20017359
Ethernet address	
Release	MCCIS 6.0.0
MCCIS BUILD	
Host Name	nsext5mc
IP Address	10.96.
Netmask	255.255.255.
Router IP-Gateway	10.96.
Site ID	RAM
WAN	The Control of the Co
Domain Name	ais.nato.int
DNS	10.96. /10.96
Usernames	Passwords
root	Root_mcc1s
secman	Secman_mcc1s
sysman	Sysman_mcc1s
comman	Comman_mcc1s
dbman	Dbman_mcc1s
naccis	Naccis_mcc1s
oracle	Ora_mcc1s
shutdown	Shutdown_mcc1s
sys	Sys_mcc1s
webadmin	Webadmin_mcc1s
Wise	Wise_mcc1s
PostgresSQL	Postgres_mcc1s
Usernames	123icc
SOFTWARE	
MCCIS SHOE	
MCCIS Server A	
MCCIS Server B	
MCCIS Janes	
MCCIS Data	
Scripte	

Bei der NATO : offen

Bei der deutschen Justiz:

GEHEIM –

amtlich geheimgehalten

50

GEHEIM amtlich geheimgehalten

Licence key MCCIS	32A9270D9FBF - Checksun 146
Licence key JANES	

Bei der NATO: offen

Bei der deutschen Justiz:

GEHEIM -

amtlich geheimgehalten