

GEHEIM
amtlich geheimgehalten

Server Build Information	CCAIRRAMSTEIN SERVER
Software Version	ICC 2.7.3/2.7.4
Operating System	Solaris 10
NISP version	3,4
Server Model	SUN Fire V440
Host Name	ccairramstein
Oracle TWO_TASK	ramstein_icc
Domain Name	airn.icc.nato.int
LDAP Domain Name	airn.icc.nato.int
Local Agency	AIRNORTH
IP Range	.127 - .254
IP Address	10.90.
Netmask	255.255.255.
Broadcast Adr.	10.90.
Router IP	10.90.
Host ID	844c97
Ethernet address	0:14:4f:4c
Username	Password
root	4fICCws
EEPROM pw	Vegas
accounts by username	1234icc
roles	
admin	icc_admin
icc	icc4273
oracle	orac4273
oracle 9i sys	manager9
oracle 9i TNS	manager9
Cosi license 5 Jan 2010	12 63 7e 04 03 fc 17 02 93 15 92 13 82 e1 fd d4 0d 36 b0 # sf 844c974d 31.08.2011 30.11.2011 # iccsvr1
JCHAT administrator:	10.90.
admin	jchat_admin
Tomcat manager	tomcat
ICC Link / user	icclink
ICC link / pw	icc_link

nsint6icc011	
Server Build Information	Details
Server Model	X4170 sv11003
Operating System	NISP 3.5
Host ID	1a1ed2
Ethernet address	0:21:28:3d:c4

GEHEIM
amtlich geheimgehalten

NISP BUILD	
Host Name	nsint6icc011
IP Address	10.96.
Netmask	255.255.255.
Router IP-Gateway	10.96.
WAN	Option: Case 3
Domain Name	ais.nato.int
DNS	10.96. /10.96.
ICC	
Oracle 10g TWO_TASK	RAMSTEIN011_ICC10
Local Agency	RAMSTEIN011
Username	Password
root	4f1CCws
EEPROM	
LDAP proxy	ldap011
Admn	admin011
ICC	icc011
Tomcat	tomcat011
oracle	oracle011
oracle 10g sys	manager011
oracle 10g TNS	manager011
oracle C2Admin User	manager011
COSI	
Username	123icc
SOFTWARE	Version
ICC	2.8.2
FAST	NONE
JTS	NONE
n1CCLink	1.1.0
Tomcat	5.5.17
JCHAT	NONE
JAVA	1.6.0_6
Scripts	
NIC configuration:	1GB Full Duplex

CCAIRRAMSTEIN-two (ICC Server 1)	
Server Build Information	CCAIRRAMSTEIN_TWO
Software Version	su
Operating System	Solaris 10
Server Model	SUN Fire V440
Host Name	ccairramstein-two
Oracle TWO_TASK	ccair_icc
Domain Name	airn.icc.nato.int
LDAP Domain Name	airn.icc.nato.int
Local Agency	AIRNORTH
IP Address	10.90.

GEHEIM
amtlich geheimgehalten

Netmask	255.255.255.
Router IP	10.90.
Host ID	844ca4
Ethernet address	0:14:4f:4c:a4
Usernames	Passwords
root	icc_root
eeprom	Vegas
LDAP proxy password	supershell
accounts by username	123icc
roles	
admin	admin4273
icc	icc4273
oracle	orac4273
oracle 9i sys	manager9
oracle 9i TNS	manager9
demo db	icc_demo

Cosi license 5 Jan 2010

12 63 7e 04 04 26 99 3d 93 15 92 13 82 e1 fd 71 dd 4e d0 #
sf 844ca445 31.08.2011 30.11.2011 # iccsvgbckup

nsint6icc011	
Server Build Information	Details
Server Model	X4170
Operating System	NISP 3.5
Host ID	0c5882
Ethernet address	0:21:28:3d:fc
NISP BUILD	
Host Name	nsint6icc010
IP Address	10.96.
Netmask	255.255.255.
Router IP-Gateway	10.96.
WAN	Option: Case 3
Domain Name	ais.nato.int
DNS	10.96. /10.96.
ICC	
Oracle 10g TWO_TASK	RAMSTEIN010_ICC10
Local Agency	RAMSTEIN010
Usernames	Passwords
root	4fICCws
EEPROM	
LDAP proxy	ldap010
Admn	admin010
ICC	icc010
Tomcat	tomcat
oracle	oracle010
oracle 10g sys	manager010
oracle 10g TNS	manager010
COSI	
Usernames	123icc
SOFTWARE	Version

GEHEIM
amtlich geheimgehalten

ICC	2.7.4
FAST	None
JTS	None
niCCLink	1.0.0
Tomcat	5.5.17
JCHAT	None
JAVA	1.6.0_06
Scripts	
NIC configuration:	1GB Full Duplex
282ICCserver	
Server Build Information	Details
ICC Software	ICC 2.8.
Operating System	Solaris10
Server Model	SUN FIRE 440
Host Name	282ICCserver
LDAP / Domain Name	airn.icc.nato.int
Local Agency	RAMSTEIN
Oracle 9i TWO_TASK	RAMSTEIN_ICC10
IP Address	10.90.
Netmask	255.255.255.
Router IP	10.90.
Host ID	847cb0
Ethernet address	0:14:4f:7c:b0
#12 2d a4 bb d0 27 77 30 6e ef 5d 05 af 83 6a 13 ef 58 10 # sf 847cb090	
Usernames	Passwords
root	4 f l C C w s
EEPROM	Vegas
LDAP proxy password	4 f l C C w s
roles	
admin	282_admin
icc	282_icc
oracle	282_oracle
oracle 10 sys	manager10
oracle 10 TNS	manager10
new account	default password = 123icc
tomcat_admin	tomcat
icclink_admin	link
Oracle C2Admin	manager10
keystore password	tomcat
fastadmin	nc3a_fast
FAST Components	password for All participants
ACC	fast_user
Observer accounts	Password
	obs_user
Org. Unit	NCRN
Org.Name	AIRC2IS
City	RAMSTEIN
State	GERMANY

GEHEIM
amtlich geheimgehalten

Code	DE
ICC Client License	ICC-2.8.2.0#237703#2967173
icc_demo282	demo
encrypted pw	THIHLDUO

Bei der NATO : **offen**

Bei der deutschen Justiz

GEHEIM –
amtliche geheimgeha

NSEXT5MCCIS080

Server Build Information	UPDATE 26.01.12 Ron
Server Model	HP 9000 RP 3410
Operating System	HP-UNIX 11.0
Host ID	20017359
Ethernet address	
Release	MCCIS 6.0.0
MCCIS BUILD	
Host Name	nsext5mc
IP Address	10.96.
Netmask	255.255.255.
Router IP-Gateway	10.96.
Site ID	RAM
WAN	
Domain Name	ais.nato.int
DNS	10.96. /10.96.
Username	Passwords
<i>root</i>	Root_mcc1s
<i>secman</i>	Secman_mcc1s
<i>sysman</i>	Sysman_mcc1s
<i>comman</i>	Comman_mcc1s
<i>dbman</i>	Dbman_mcc1s
<i>naccis</i>	Naccis_mcc1s
<i>oracle</i>	Ora_mcc1s
<i>shutdown</i>	Shutdown_mcc1s
<i>sys</i>	Sys_mcc1s
<i>webadmin</i>	Webadmin_mcc1s
<i>Wise</i>	Wise_mcc1s
<i>PostgresSQL</i>	Postgres_mcc1s
<i>Username</i>	123icc
SOFTWARE	
<i>MCCIS SHOE</i>	
<i>MCCIS Server A</i>	
<i>MCCIS Server B</i>	
<i>MCCIS Janes</i>	
<i>MCCIS Data</i>	
Scripts	
NIC configuration:	1GB Full Dup

Bei der NATO : **offen**

Bei der deutschen Justiz

GEHEIM
amtlich geheimgehalten

Licence key MCCIS	32A9270D9FBF - Checksun 146
Licence key JANES	

Bei der NATO : **offen**

Bei der deutschen Justiz

GEHEIM –

amtliche geheimgeha