

Rack	Host Name	Role	IP Address	Function	Responsible	Function	Responsible
01	BPD	Boundary Protection	10.90.32.199/21	Hardware	DAC	Operation	GIX
				Serviceability	DAC	Configuration	GIX
01	NSARNSECNIDS	Intrusion Detection	10.90.32.203/21	Hardware	DAC	Operation	GIX
				Serviceability	DAC	Configuration	GIX
01	NSARNDC1	Global Catalog	10.90.32.200/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
01	NSARNDC2	Domain Controller	10.90.32.201/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
01	NSARNRAS	Remote Access Server		Hardware	DAC	Operation	NOT IN USE
				Serviceability	DAC	Configuration	NOT IN USE
02							
02	NSARNSVIMAR		10.90.32.225/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
02	NSARNSVA2	File Server	10.90.32.214/21	Hardware	DAC	Operation	DAC/A2
				Serviceability	DAC	Configuration	DAC/A2
02	NSARNFS3	File Server	10.90.32.213/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
02	NSARNFS2	File Server	10.90.32.212/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
02	NSARNFS1	File Server	10.90.32.211/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
03	NSARNDC3	W2K3 Domain Controller		Hardware	DAC	Operation	ENTERPRISE ADMINS
				Serviceability	DAC	Configuration	ENTERPRISE ADMINS
03	NSARNEMSSDE	Service Desk Express	10.90.32.238/21	Hardware	DAC	Operation	CONFIG MANAGEMENT
				Serviceability	DAC	Configuration	SHAPE
03	NSARNSVEXCHCLN2	Cluster Configuration	10.90.32.240/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	SHAPE
03	NSARNSVEXCHCLN1	Cluster Configuration	10.90.32.239/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	SHAPE
	NSARNSVEXCH1	Exchange 2003 Virtual	10.90.32.241	?	DAC	?	DAC
03	NSARNDC1A	Domain Controller ais.nato.int	10.90.32.202/21	Hardware	DAC	Operation	ENTERPRISE ADMINS
				Serviceability	DAC	Configuration	ENTERPRISE ADMINS
03	NSARNSVWSUS	Windows Update Server	10.90.32.208/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
03	NSARNSVEXCH	Mail Server EXCH5.5	10.90.32.215/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
03	NSARNSVWEB	Web Server	10.90.32.216/21	Hardware	DAC	Operation	IKM (MR BEMME)
				Serviceability	DAC	Configuration	IKM (MR BEMME)
03	NSARNSVBUP	Backup Server	10.90.32.217/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC

amtlich
geheimgehalten
GEHEIM

1. Ablichtung, 29 Seiten gdw.
GEHEIM
amtlich geheimgehalten

04	NSARNSVTTRK1	Workflow Management Server CC-Air	10.90.32.205/21	Hardware	DAC	Operation	IKM (MR BEMME)
				Serviceability	DAC	Configuration	IKM (MR BEMME)
04	NSARNSVCL1N1	DHS SQL Node 1	10.90.32.227/21	Hardware	DAC	Operation	IKM (MR BEMME)
				Serviceability	DAC	Configuration	IKM (MR BEMME)
04	NSARNSVCL1N2	DHS SQL Node 2	10.90.32.228/21	Hardware	DAC	Operation	IKM (MR BEMME)
				Serviceability	DAC	Configuration	IKM (MR BEMME)
	NSARNSVCL1	DHS SQL Cluster	10.90.32.232	?	DAC	?	IKM (MR BEMME)
	NSARNSVCL1SQL1	DHS SQL Virtual	10.90.32.233	?	DAC	?	IKM (MR BEMME)
04	NSARNSVWEB3	DHS WEB1	10.90.32.229/21	Hardware	DAC	Operation	IKM (MR BEMME)
				Serviceability	DAC	Configuration	IKM (MR BEMME)
04	NSARNSVWEB4	DHS WEB2	10.90.32.235/21	Hardware	DAC	Operation	IKM (MR BEMME)
				Serviceability	DAC	Configuration	IKM (MR BEMME)
	NSARNSVVNLB	Load Balancing WEB	10.90.32.231	?	DAC	?	DAC
04	NSARNSVIDX	DHS INDEX Server	10.90.32.226/21	Hardware	DAC	Operation	IKM (MR BEMME)
				Serviceability	DAC	Configuration	IKM (MR BEMME)
04	NSARNSVBICC	BICC	10.90.32.234/21	Hardware	DAC	Operation	DAC/A2
				Serviceability	DAC	Configuration	DAC/A2
04	NSARNEMSSQL	SQL EMS	10.90.32.210/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
04	NSARNEMSSMS	SMS	10.90.32.218/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	SHAPE
04	NSARNEMSMOM	MOM	10.90.32.219/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	SHAPE
04	NSARNEMSMAGIC	Magic old	10.90.32.220/21	Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	SHAPE
04	NSARNSVSQL2	SQL Workflow	10.90.32.209/21	Hardware	DAC	Operation	DAC/A6
				Serviceability	DAC	Configuration	DAC/A6
05							
05							
05	NSARNSVSQL1	SQL Server		Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
05	NSARNSVPR2	Print Server		Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
05	NSARNSVAPR1	Print Server		Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
05	NSARNSVEPO	Epolicy Server		Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
06	NSARNEVA	EVA Appliance		Hardware	DAC	Operation	DAC
				Serviceability	DAC	Configuration	DAC
18	ccairramstein	ICC Server (ICC V-lan)	10.90.180.165	Hardware	DAA	Operation	DAA
				Serviceability	DAA	Configuration	DAA

GEHEIM
amtlich geheimgehalten

GEHEIM
amtlich geheimgehalten

18	airnorth-niris	NIRIS Server (ICC V-lan)	10.90.180.158	Hardware	DAA	Operation	DAA
				Serviceability	DAA	Configuration	DAA
18	NSARNSVITC	ITC Server	10.90.32.242	Hardware	DAA	Operation	DAA
				Serviceability	DAA	Configuration	DAA
18	sv1mccis	MCCIS Server	10.90.180.169	Hardware	DAA	Operation	DAA
				Serviceability	DAA	Configuration	DAA
oom C01	ns-niris	NIRIS Server (NS V-lan)	10.90.32.230	Hardware	DAA	Operation	DAA
				Serviceability	DAA	Configuration	DAA
oom C01	RNDAAWS08337 (NS C	SEW broadcaster	10.90.33.247	Hardware	DAA	Hardware	DAA
				Serviceability	DAA	Serviceability	DAA

GEHEIM
amtlich geheimgehalten

GEHEIM
amtlich geheimgehalten

Server Build Information	CCAIRRAMSTEIN SERVER
Software Version	ICC 2.7.3/2.7.4
Operating System	Solaris 10
NISP version	3,4
Server Model	SUN Fire V440
Host Name	ccairramstein
Oracle TWO_TASK	ramstein_icc
Domain Name	airn.icc.nato.int
LDAP Domain Name	airn.icc.nato.int
Local Agency	AIRNORTH
IP Range	.127 - .254
IP Address	10.90.180.165
Netmask	255.255.255.128 (.25)
Broadcast Adr.	10.90.180.255
Router IP	10.90.180.129
Host ID	844c974d
Ethernet address	0:14:4f:4c:97:4d
Username	Password
root	4f1CCws
EEPROM pw	Vegas
accounts by username	1234icc
roles	
admin	icc_admin
icc	icc4273
oracle	orac4273
oracle 9i sys	manager9
oracle 9i TNS	manager9
Cosi license 5 Jan 2010	12 63 7e 04 03 fc 17 02 93 15 92 13 82 e1 fd d4 0d 36 b0 # sf 844c974d 31.08.2011 30.11.2011 # iccsvg1
JCHAT administrator:	10.90.180.165:9090
admin	jchat_admin
Tomcat manager	tomcat
ICC Link / user	icclink
ICC link / pw	icc_link

in Betrieb

nsint6icc011	
Server Build Information	Details
Server Model	X4170 sv11003
Operating System	NISP 3.5
Host ID	1a1ed29b
Ethernet address	0:21:28:3d:c4:0e

NISPBUILD	
Host Name	nsint6icc011
IP Address	10.96.3.11
Netmask	255.255.255.192
Router IP-Gateway	10.96.3.1
WAN	Option: Case 3
Domain Name	ais.nato.int
DNS	10.96.0.50/10.96.0.51
ICC	
Oracle 10g TWO_TASK	RAMSTEIN011_ICC10
Local Agency	RAMSTEIN011
Usernames	Passwords
root	4f1CCws
EEPROM	
LDAP proxy	ldap011
Admn	admin011
ICC	icc011
Tomcat	tomcat011
oracle	oracle011
oracle 10g sys	manager011
oracle 10g TNS	manager011
oracle C2Admin User	manager011
COSI	
Usernames	123icc
SOFTWARE	Version
ICC	2.8.2
FAST	NONE
JTS	NONE
riCCLink	1.1.0
Tomcat	5.5.17
JCHAT	NONE
JAVA	1.6.0_6
Scripts	
NIC configuration:	1GB Full Duplex

CCAIRRAMSTEIN-two (ICC Server 1)	
Server Build Information	CCAIRRAMSTEIN_TWO
Software Version	su
Operating System	Solaris 10
Server Model	SUN Fire V440
Host Name	ccairramstein-two
Oracle TWO_TASK	ccair_icc
Domain Name	airn.icc.nato.int
LDAP Domain Name	airn.icc.nato.int
Local Agency	AIRNORTH
IP Address	10.90.180.166

Netmask	255.255.255.128
Router IP	10.90.180.129
Host ID	844ca445
Ethernet address	0:14:4f:4c:a4:45
Usernames	Passwords
root	icc_root
eeprom	Vegas
LDAP proxy password	supershell
accounts by username	123icc
roles	
admin	admin4273
icc	icc4273
oracle	orac4273
oracle 9i sys	manager9
oracle 9i TNS	manager9
demo db	icc_demo

Cosi license 5 Jan 2010

12 63 7e 04 04 26 99 3d 93 15 92 13 82 e1 fd 71 dd 4e d0 #
sf 844ca445 31.08.2011 30.11.2011 # iccsvrbackup

nsint6icc011	
Server Build Information	Details
Server Model	X4170
Operating System	NISP 3.5
Host ID	0c588278
Ethernet address	0:21:28:3d:fc:60
NISP BUILD	
Host Name	nsint6icc010
IP Address	10.96.3.10
Netmask	255.255.255.192
Router IP-Gateway	10.96.3.1
WAN	Option: Case 3
Domain Name	ais.nato.int
DNS	10.96.0.50/10.96.0.51
ICC	
Oracle 10g TWO_TASK	RAMSTEIN010_ICC10
Local Agency	RAMSTEIN010
Usernames	Passwords
root	4f1CCws
EEPROM	
LDAP proxy	ldap010
Admn	admin010
ICC	icc010
Tomcat	tomcat
oracle	oracle010
oracle 10g sys	manager010
oracle 10g TNS	manager010
COSI	
Usernames	123icc
SOFTWARE	Version

ICC	2.7.4
FAST	None
JTS	None
niCCLink	1.0.0
Tomcat	5.5.17
JCHAT	None
JAVA	1.6.0_06
Scripts	
NIC configuration:	1GB Full Duplex
282ICCserver	
Server Build Information	Details
ICC Software	ICC 2.8.2.20
Operating System	Solaris10
Server Model	SUN FIRE 440
Host Name	282ICCserver
LDAP / Domain Name	airn.icc.nato.int
Local Agency	RAMSTEIN
Oracle 9i TWO_TASK	RAMSTEIN_ICC10
IP Address	10.90.180.167
Netmask	255.255.255.128
Router IP	10.90.180.129
Host ID	847cb090
Ethernet address	0:14:4f:7c:b0:90
#12 2d a4 bb d0 27 77 30 6e ef 5d 05 af 83 6a 13 ef 58 10 # sf 847cb090	
Username	Password
root	4 f l C C w s
EEPROM	Vegas
LDAP proxy password	4 f l C C w s
roles	
admin	282_admin
icc	282_icc
oracle	282_oracle
oracle 10 sys	manager10
oracle 10 TNS	manager10
new account	default password = 123icc
tomcat_admin	tomcat
icclink_admin	link
Oracle C2Admin	manager10
keystore password	tomcat
fastadmin	nc3a_fast
FAST Components	password for All participants
ACC	fast_user
Observer accounts	Password
	obs_user
Org. Unit	NCRN
Org.Name	AIRC2IS
City	RAMSTEIN
State	GERMANY

Code	DE
ICC Client License	ICC-2.8.2.0#237703#2967173
icc_demo282	demo
encrypted pw	THIHLDUO

GEHEIM
amtlich geheimgehalten

MAIN NIRIS UNTIL CUT OVER TO .70	
Server Build Information	
INTERNAL NIRIS	
Server Build Information	
Server Model	Netra X4200
Operating System	Solaris 10 NISP 3.5
Host ID	063d776
Ethernet address	0:21:28:3a:6e:9a
NISP BUILD	
Host Name	nsint6niris021
IP Address	10.96.3.21
Netmask	255.255.255.192
Router IP-Gateway	10.96.3.1
WAN	Case 3
Domain Name	ais.nato.int
DNS	10.96.0.50/10.96.0.51
Username	Password
root	4fICcws
EEPROM	
admin	021_admin
LDAP proxy	021_ldap

+ Browser

GEHEIM
amtlich geheimgehalten

GEHEIM
amtlich geheimgehalten

niris	021_niris
Username	123icc
SOFTWARE	
NISP	NISP 3.5
NIRIS	NIRIS 3.5
JAVA	
Scripts	
NIC configuration:	1GB Full Duplex
EXTERNAL NIRIS	
Server Build Information	(sends to .21 int server & rx MCCIS)
Server Model	SunOracle X4200
Operating System	Solaris 10 NISP 3.6
Host ID	31ccab56
Ethernet address	0:21:28:3a:6e:9a
NISP BUILD	
Host Name	nsext5niris070
IP Address	10.96.3.70
Netmask	255.255.255.192
Router IP-Gateway	10.96.3.65
WAN	case 3

in Betrieb

GEHEIM
amtlich geheimgehalten

Domain Name	ais.nato.int
DNS	10.96.0.50/10.96.0.51
Username	Password
root	4f1CCws
EEPROM	
admin	070_admin
LDAP proxy	070_ldap
niris	070_niris
Username	123_icc
SOFTWARE	
NIRIS	NIRIS 3.5
JAVA	JAVA 1.6.0_23
Scripts	
NIC configuration:	1GB Full Duplex
ISAF NIRIS LAN	
Server Build Information	(virtual server on 10.96.3.115 /Rm C20)
Software Version	NIRIS 3.5
Operating System	NISP 3.6
Server Model	ESXI 4.1
Host Name	nsext5niris072

020_niris

X in Betrieb

GEHEIM
amtlich geheimgehalten

GEHEIM
amtlich geheimgehalten

Domain Name	ais.nato.int
LDAP Domain Name	ais.nato.int
IP Address	10.96.3.72
Netmask	255.255.255.192
Broadcast	
Router IP	10.96.3.65
Host ID	
Ethernet address	
Usernames	Passwords
root	letmein@BMD
LDAP proxy password	ldap_072
accounts by username	icc123
roles	
assume role admin	admin_072
assume role niris	niris_072
WAN GUI	
niris	niris_072

GEHEIM
amtlich geheimgehalten

GEHEIM
amtlich geheimgehalten

server description here	
Server Build Information	Details
Server Model	X4170
Operating System	NISP 3.6
Host ID	
Ethernet address	
NISP BUILD	
Host Name	nsint6icc006
IP Address	10.96.3.6
Netmask	255.255.255.192
Router IP-Gateway	10.96.3.1
WAN	Option: Case 3
Domain Name	ais.nato.int
DNS	10.96.0.50/10.96.0.51
ICC	
Oracle 10g TWO_TASK	RAMSTEIN_ICC10
Local Agency	RAMSTEIN
Username	Password
root	4fICCws
EEPROM	vegas
LDAP proxy	006_ldap
Admn	006_admin
ICC	006_icc
Tomcat	006_tomcat

GEHEIM
amtlich geheimgehalten

GEHEIM
amtlich geheimgehalten

oracle	
oracle 10g sys	006_manager10
oracle 10g TNS	006_manager10
COSI	
Username	123icc
SOFTWARE	Version
ICC	2.7.4
FAST	
JTS	
nICCLink	
Tomcat	
JCHAT	
JAVA	
Scripts	
NIC configuration:	1GB Full Duplex

GEHEIM
amtlich geheimgehalten

NSEXT5MCCIS080

Server Build Information	UPDATE 26.01.12 Ron
Server Model	HP 9000 RP 3410
Operating System	HP-UNIX 11.0
Host ID	2001735932/146
Ethernet address	
Release	MCCIS 6.0.0
MCCIS BUILD	
Host Name	nsext5mc
IP Address	10.96.3.80
Netmask	255.255.255.192
Router IP-Gateway	10.96.3.65
Site ID	RAM
WAN	
Domain Name	ais.nato.int
DNS	10.96.0.50/10.96.0.51
Username	Password
<i>root</i>	Root_mcc1s
<i>secman</i>	Secman_mcc1s
<i>sysman</i>	Sysman_mcc1s
<i>comman</i>	Comman_mcc1s
<i>dbman</i>	Dbman_mcc1s
<i>naccis</i>	Naccis_mcc1s
<i>oracle</i>	Ora_mcc1s
<i>shutdown</i>	Shutdown_mcc1s
<i>sys</i>	Sys_mcc1s
<i>webadmin</i>	Webadmin_mcc1s
<i>Wise</i>	Wise_mcc1s
<i>PostgresSQL</i>	Postgres_mcc1s
<i>Username</i>	123icc
SOFTWARE	
<i>MCCIS SHOE</i>	
<i>MCCIS Server A</i>	
<i>MCCIS Server B</i>	
<i>MCCIS Janes</i>	
<i>MCCIS Data</i>	
Scripts	
NIC configuration:	1GB Full Duplex

GEHEIM
amtlich geheimgehalten

59

Licence key MCCIS	32A9270D9FBF - Checksun 146
Licence key JANES	

GEHEIM
amtlich geheimgehalten

GEHEIM
amtlich geheimgehalten

Server Build Information	NIRIS ICS
Server Model	SUN NETRA 240
Host Name	NIRIS-ICS
Domain Name	AIRN.ICC.NATO.INT
Oracle 9i TWO_TASK	
Local Agency	
IP Address	10.90.180.160
Netmask	10.90.180.159 / UCCI 255.255.255.128
Router IP	10.90.180.129
Host ID	84C3C1E8
Ethernet address	
Usersnames	Passwords
root	icc_root
admin	ics4admin
niris	ics4niris
WAN Tool users	

GEHEIM
amtlich geheimgehalten

Server Build Information
Server Model
Operating System
Host ID
Ethernet address
NISP BUILD
Host Name
IP Address
Netmask
Router IP-Gateway
WAN
Domain Name
DNS
Oracle 10g TWO_TASK
Local Agency
Usersnames
root
EEPROM
admin
LDAP proxy
niris
ICC

GEHEIM
amtlich geheimgehalten

niris	niris
npc	icc_npc
caoc2	caoc2_ics

Network adaptor config

Tomcat
oracle
oracle 10g sys
oracle 10g TNS
COSI
Username
SOFTWARE
ICC
NIRIS
FAST
JTS
nICCLink
Tomcat
JCHAT
JAVA
Scripts
NIC configuration:
Exceed
NATO Time Server sync

GEHEIM
amtlich geheimgehalten

GEHEIM
amtlich geheimgehalten

[illegible]

GEHEIM
amtlich geheimgehalten

GEHEIM
amtlich geheimgehalten

[illegible]

GEHEIM
amtlich geheimgehalten

ITC

Server Build Information	ITC
Software Version	Win Server 2003
Operating System	Win Server 2003
Server Model	
Host Name	NSARNSVITC
Oracle TWO_TASK	ramstein_itc
Domain Name	AIS
LDAP Domain Name	AIS
Local Agency	RAMSTEINITC
IP Address	10.96.3.60
Netmask	255.255.248.0
Router IP	10.90.32.1
Host ID	
Ethernet address	
Username	Password
Administrator	Password01
EEPROM	
LDAP proxy password	
accounts by username	
roles	

admin	
icc	
oracle	Redirected to Server .165
oracle 9i sys	
oracle 9i TNS	

ITC

Server Build Information	ITC
Software Version	ICC 2.7.3
Operating System	Solaris 10
Server Model	SUN Netra V240 (NS-NIRIS back up)
Host Name	NSARNSVITC
Oracle TWO_TASK	ramstein_itc
Domain Name	d07.ais.nato.int
LDAP Domain Name	d07.ais.nato.int
Local Agency	RAMSTEINITC
IP Address	10.90.32.242
Netmask	255.255.248.0
Router IP	10.90.32.1
Host ID	84CD0348

Ethernet address	0:14:4f:CD:3:48
Usersnames	Passwords
<i>root</i>	4f1CCws
<i>EEPROM</i>	vegas
<i>LDAP proxy password</i>	itc_root
<i>accounts by username</i>	1234icc
<i>roles</i>	
<i>admin</i>	itc_admin
<i>icc</i>	itc_icc
<i>oracle</i>	itcmanager
<i>oracle 9i sys</i>	itcmanager
<i>oracle 9i TNS</i>	itcmanager

Network adaptor config

Server Build Information	
Server Model	HP Proliant DL 380 G4
Operating System	Win Server 2003
Host ID	
Ethernet address	
	ID: SV02053
NISP BUILD	
Host Name	nsint6itc019
IP Address	10.96.3.19
Netmask	255.255.255.192
Router IP-Gateway	10.96.3.1
WAN	Case 3
Domain Name	ais.nato.int
DNS	10.96.0.50/10.96.0.51
Oracle 10g TWO_TASK	ramstein icc
Local Agency	RAMSTEINITC
Username	Password
root	
EEPROM	
Administrator	Password01
LDAP proxy	
niris	

GEHEIM
amtlich geheimgehalten

ICC	
Tomcat	
oracle	
oracle 9i sys	
oracle 9i TNS	
COSI	
Username	123icc
SOFTWARE	
ICC	
NIRIS	
FAST	
JTS	
niCCLink	
Tomcat	
JCHAT	
JAVA	
Scripts	
NIC configuration:	1GB Full Duplex
Exceed	DHS Air C2IS Files worth keeping: Exceed Port activation files
NATO Time Server sync	DHS Air C2IS Files worth keeping: TOP-NTP time server setup

GEHEIM
amtlich geheimgehalten

default user password	123icc
roles	
admin	icc_admin
icc	icc_icc
oracle	icc_oracle
oracle sys	manager10
oracle TNS	manager10
niris	icc_niris
NIRIS WAN GUI	niris
Tomcat admin	tomcat_admin
Oracle C2Admin	oracle_c2admin
Tomcat icclink_admin	tomcat_link
Keystore password	tomcat_certificate
Key Password	tomcat_certificate
NC3A Admin User	nc3a_admin
ICC Client License	ICC-2.8.2.0#237703#2967173
Org.Unit	AC_RAMSTEIN
Org.Name	NCRN
City	RAMSTEIN
State	GERMANY
Code	RA

Network adaptor config

Server Build Information	
Server Model	
Operating System	
Host ID	
Ethernet address	
NISP BUILD	
Host Name	
IP Address	
Netmask	
Router IP-Gateway	
WAN	Case 3
Domain Name	ais.nato.int
DNS	10.96.0.50/10.96.0.51
Oracle 10g TWO_TASK	
Local Agency	
Username	Password
<i>root</i>	4flCCws
EEPROM	
<i>admin</i>	
LDAP proxy	
<i>niris</i>	

ICC	
Tomcat	
oracle	
oracle 10g sys	
oracle 10g TNS	
COSI	
Username	123icc
SOFTWARE	
ICC	
NIRIS	
FAST	
JTS	
nICCLink	
Tomcat	
JCHAT	
JAVA	
Scripts	
NIC configuration:	1GB Full Duplex
Exceed	DHS Air C2IS Files worth keeping: Exceed Port activation files
NATO Time Server sync	DHS Air C2IS Files worth keeping: TOP-NTP time server setup